


Scheduled Goat Care



ADULT DOES

When?	What?	How Much?
Spring/1 Month Pre-Kidding (as needed)	Ivermectin	1.5 CC (every 10 days, 3x)
Spring/1 Month Pre-Kidding	Copper Bolus	1 Bolus
Spring/1 Month Pre-Kidding	BoSe	1.5 CC
Spring/1 Month Pre-Kidding	CDT	2 CC
Spring/1 Month Pre-Kidding	Vitamin E+AD 300	2.5 CC
2 Weeks Pre-Kidding	CMPK	15 CC
Immediately Post-Kidding	Vitamin B-Complex	2.5 CC
Immediately Post-Kidding	Nutridrench	1.5 Pumps
Immediately Post-Kidding	Dyne	50 CC (in barn water)
Spring/1 Month Post-Kidding (as needed)	Valbazen or Zuricox	5 CC (3 days) 12 CC (milk withdrawal)
Fall	BoSe	1.5 CC
Fall	Blood Test	3 CC minimum
Fall	Copper Bolus	1 bolus

ADULT BUCKS & WETHERS

When?	What?	How Much?
Spring	Copper Bolus	1 Bolus
Spring (as needed)	Valbazen Zuricox Ivermectin	5 CC (3 days) 12 CC 1.5 CC (every 10 day, 3x)
Spring	BoSe	1.5 CC
Spring	CDT	2 CC
Spring	Vitamin E+AD 300	2.5 CC
Fall	Blood Test	3 CC minimum
Fall	BoSe	1.5 CC
Fall	Copper Bolus	1 Bolus

KIDS

When?	What?	How Much?
At Birth	Iodine	Dip Umbilical Cord
At Birth	Nutridrench	1 Pump (mouth or bottle)
1 Day	BoSe	.25 CC
1 Day	Vitamin B Complex	.25 CC
1 Day	Probios	5g
1 Week	Dehorning	-
3 Weeks	Zuricox	1 CC/5 lbs
3 Weeks	Probios	5g
3 weeks	CDT	2 CC
6 weeks	CDT	2 CC
6 Weeks	Zuricox	1 CC/5 lbs
10 Weeks	Banding	-
3 Months (as needed)	Zuricox	1 CC/5 lbs
4 Months	BoSe	.5 CC
8 Months	BoSe	.75 CC
1 Year	BoSe	1.5 CC
First Year-Old Spring	Copper Bolus	1 Bolus
First Year-Old Spring	CDT	2 CC
First Year-Old Spring	Vitamin E+AD 300	2.5 CC
First Year-Old Fall	Blood Test	3 CC minimum
First Year-Old Fall	Copper Bolus	1 Bolus
First Year-Old Fall	BoSe	1.5 CC

Feeding (grain mixture under review)

Who?	Hay?	Grain? <small>(minimal molasses to bind)</small>	Amount?
Milking/Due Within A Month Does	1:4 (grass/alfalfa)		1 1/2 Cup 2x per Day
Dry/Yearling Does	4:1 (grass/alfalfa)	None	
Bucks/Wethers	1:0 (grass)	None	—
Kids	1:2 (grass/alfalfa)		1/8 Cup 2x per Day

Free Choice:

- Baking Soda
- Sweetlix Loose Goat Minerals
- Icelandic Kelp
- ZinPro40

Fresh Water Daily

- 1 tbsp Apple Cider Vinegar

Bottle Feeding (whole cow's milk from the store OR 50/50 whole cow's milk and goat's milk if goat milk is unavailable)

Age?	Amount?	How Often?
Day 1	5 oz.	4x per Day
Day 2 & 3	6 oz.	3x per Day
Day 4 & 5	7 oz.	3x per Day
Day 6 & 7	8 oz.	3x per Day
Week 2 – Week 10	12 oz.	2x per Day
Week 10 – Week 12	12 oz.	1x per day

- *separate to respective kid, sexed pens at 8 weeks***
- *separate to respective adult, sexed pens at 12 weeks***